PRODUCT CATALOGUE







Facilitating Be er Patient Care.

BEDS



B5RP

Premium Electric Bed



Dimensions

Length 2083mm Width 1016mm Height

Max 692mm Min 435mm

Specifications

- Ÿ Linear actuators 4nos.
- ÿ 125mm Double Wheels with central Locking.
- γ Polymer side rails 4pcs.
- $\ddot{\gamma}$ Patient angle indicators for backrest and trendelenburg postions $\,$ 4nos.
- γ IV Pole 2 hook 1no.
- γ IV Pole provision 4 sides.
- γ Drainage hook 4nos.
- $\ddot{\gamma}$ Ma ress stopper 6nos.
- γ Restrainer belt provision 4nos.
- γ Backlit Wired Hand held control 1no.
- γ Backlit Nurse Control Panel 1no.
- ÿ Electric CPR 1No.

Features

- γ̈ Tuck away type side rails.
- Quick remove head and foot boards for ease of use in emergencies.
- γ Single bu on CPR position.
- ÿ Single bu on shock position.
- _γ Low height.

Add ons

- ÿ Optional 125mm Double wheel with individual locking
- $\ddot{\gamma}$ Single wired hand held control.
- γ Add Ma ress Underbed light
- $_{\ddot{\gamma}}$ Ba ery Back up.

















B3RP

Premium Electric Bed



Dimensions

Length 2083mm

Width 1016mm

Height

Max 692mm Min 435mm

Specifications

- ÿ Linear actuators 3nos.
- Ÿ 125mm double wheels with central Locking.
- γ Polymer side rails 4pcs.
- $\ddot{\gamma}$ Patient angle indicators for backrest 4nos.
- $\ddot{\gamma}$ IV Pole 2 hook 1no.
- $\ddot{\gamma}$ IV Pole provision 4 sides.
- $\ddot{\gamma}$ Drainage hook 4nos.
- γ Ma ress stopper 6nos.
- Restrainer belt provision 4nos.
- $_{\ddot{\gamma}}\;$ Backlit Wired Hand held control $\;$ 1no.

Features

- γ Tuck away type side rails.
- Quick remove head and foot boards for ease of use in emergencies.
- $_{\ddot{\gamma}}$ Low height.

Add ons

ŸOptional 125mm Double wheel with individual locking

ÿ Steel collapsible Rails

ŸDual remote ŸAdd Ma ress ŸBa ery Back Up











B3RN P

Premium Electric Bed



Dimensions

Length 2083mm

Width 995mm

Height

Max 692m Min 435mm

Specifications

- ÿ Linear actuators 3nos.
- ÿ 125mm double wheels with central Locking.
- $\ddot{\gamma}$ Steel collapsible rails 2nos.
- $\ddot{\gamma}$ IV Pole 2 hook 1no.
- $\ddot{\gamma}$ IV Pole provision 4 sides.
- $\ddot{\gamma}$ Drainage hook 4nos.
- γ Ma ress stopper 6nos.
- $\ddot{\gamma}$ Restrainer belt provision 4nos.
- ÿ Backlit Wired Hand held control 1no.

Features

- ÿ Pinch Safe collapsible Rails.
- ÿ Low Height.

Add ons

- ÿ Optional 125mm Double wheel with individual locking.
- $\ddot{\gamma}$ Add Ma ress.
- ÿ Ba ery Back Up.











B4RD Deluxe Electric Bed



Dimensions

Length 2145mm Width 840mm

Height Max 724m

Max 724mm Min 457mm

Specifications

- ÿ Linear actuators 3nos.
- ÿ 125mm double wheels with central Locking.
- ÿ Steel collapsible rails 2pcs.
- $\ddot{\gamma}$ IV Pole 2 hook 1no.
- γ IV Pole provision 4 sides.
- ÿ Drainage hook 4nos.
- ÿ Ma ress stopper 6nos.
- ÿ Restrainer belt provision 4nos.
- $\ddot{\gamma}$ Wired hand held control 1no.

Features

- Ÿ Space Saving.
- Ÿ Pinch Safe collapsible Rails.
- Quick remove head and foot boards for ease of use in emergencies.
- γ Low height

Add ons

- ÿ Optional 125mm Double wheel with individual locking,
- ÿ Add Ma ress.
- γ Ba ery Back Up











B4SB Deluxe Hydraulic Bed Dialysis



Dimensions

Length 2145mm Width 840mm Height

Max 724mm Min 457mm

Specifications

- Ÿ Height adjustable TV mount Ino.
- Ÿ Hydraulic actuator 1no.
- Ÿ Manual cranks 2nos.
- Ÿ 125mm double wheels with individual locking.
- ÿ Steel collapsible rails.
- ÿ IV Pole 2 hook 1no.
- γ IV Pole provision 4 sides.
- γ Drainage hook 4nos.
- γ Ma ress stopper 6nos.
- γ Restrainer belt provision 4nos.

Features

- ÿ TV mount for patient relaxation during dialysis.
- γ Space Saving.
- ÿ Pinch Safe collapsible Rails.
- ÿ Quick remove head and foot boards for ease of use in emergencies.
- _ν Low Height.
- Bed height adjustable through a jerk free hydraulic actuator.

Add ons

- y Optional 125mm Double wheel with central locking.
- $\ddot{\gamma}$ TV Mount.
- ÿ Add Ma ress.











В3МР

Premium Manual Bed



Dimensions

Length 2134mm (Including ÿ Manual cranks 3nos. handle)

Width 1041mm

Height

Max 758mm Min 448mm

Specifications

- ÿ 125mm Double wheels with individual locking.
- γ Polymer side rails 4pcs.
- $\ddot{\gamma}$ Patient angle indicators for backrest.
- γ IV Pole 2 hook 1no.
- $\ddot{\gamma}$ IV Pole provision 4 sides.
- $\ddot{\gamma}$ Drainage hook 4nos.
- γ Ma ress stopper 6nos.
- γ Restrainer belt provision 4nos.

Features

- γ Tuck away type side rails.
- ŸQuick remove head and foot boards for ease of use in emergencies.
- γ Low height.
- ÿ Noise free easy crank movement.

Add ons

- ÿ Optional Semi Electrical.
- ÿ 125mm Double wheel with central locking.
- γ Add Ma ress.











B4GE Casualty Hydraulic Bed



Dimensions

Length 1981mm Width 838mm Height Max 743mm

Min 508mm

Specifications

- Ÿ Hydraulic actuator Ino.
- ÿ Manual cranks 2nos.
- ÿ 125mm Double wheels with central locking.
- γ Steel collapsible rails.
- γ IV Pole 2 hook 1no.
- γ IV Pole provision 4 sides.
- γ Drainage hook 4nos.
- γ Ma ress stopper 6nos.
- ÿ Restrainer belt provision 4nos.

- ÿ Quick mobility with central locking.
- γ Space Saving.
- ÿ Pinch Safe collapsible Rails.
- γ Low height.
- ÿ Bed height adjustable through a jerk free hydraulic actuator.
- Easy push handles on both sides for unhampered intubation.
- Can be used as a casualty
- bed as well as a transfer bed.

Add ons

Optional 125mm Double wheel with individual locking, Ma ress.











B2MM Multi Utility Manual Bed



Dimensions

Length 2134mm Width 914mm Height 559mm

Specifications

- ÿ Convertible foot end board to Food Table.
- γ A ached cabinet.
- $\ddot{\gamma}$ A ached rack.
- γ Steel collapsible rails.
- ÿ 100mm double wheels with individual locks.
- , IV Pole 2 hook 1no.
- IV Pole provision 4 sides.
- Drainage hook 2nos.
- , Ma ress stopper 6nos.
- Restrainer belt provision 4nos.

Features

- \(\tilde{\psi} \) Compact design with inbuilt food table, underbed cabinet and linen rack.
 \(\)
- $\ddot{\gamma}$ Pinch Safe collapsible Rails.

Add ons

- ÿ Optional Legs on PVC shoes.
- ŸWithout Underbed cabinet.
- ŸWithout linen rack.
- Ÿ Ma ress.





Bedside Essentials



BCMD

Premium Bedside Cabinet



Dimensions

Length 508mm Width 432mm Height 851mm

Specifications

ŸDrawers 2nos.

Ÿ Sliding on 25kg telescopic drawer channels.

ŸOpen shelf 1No.

Ÿ304G Stainless steel top with raised edges and rails.

γ̈ Stainless Steel handles.

ŸBook & bo le rack.

ŸHand towel hanger.

ŸAnti collision bu ers at the rear 2nos.

Ÿ50mm double wheel swivel castors.

ŸMaterial Specification Mild Steel, Powder Coated.

Features

§mooth Slider Channels. §trong build. Wipe clean stain resistant top. ŸSmart design.

BCRFS

Premium Bedside Cabinet



Dimensions

Length 508mm Width 406mm Height 762mm

Specifications

ŸDrawers 1no.

Ÿ Sliding on 25kg telescopic drawer channels.

ŸClosed cabinet with two compartments.

Ÿ304G Stainless steel top with raised edges and rails.

ŸBook & bo le rack. Hand towel hanger.

ŸAnti collision bu ers at the rear 2nos.

Ÿ50mm double wheel swivel castor.

ŸMaterial Specification Mild steel Powder Coated.

Features

§mooth Slider Channel. §trong build. Wipe clean stain resistant top. ŸSmart design.

BCUR

Premium Bedside Cabinet



Dimensions

Length 610mm Width 457mm Height 762mm

Specifications

ŸDrawers 1no.

Sliding on 25kg telescopic drawer channels.

ŸProvision to house small refrigerator.

Ÿ304G Stainless steel top with raised edges and rails.

ÿ Stainless Steel handle.

ŸBook & bo le rack.

ŸHand towel hanger.

ŸMaterial Specification Mild steel, Powder coated.

Features

ÿ Space optimising design.

ŸSmooth Slider Channel.

Ÿ Strong build.

ŸWipe clean stain resistant top.

CFMD

Premium Over Bed Trolley



Dimensions

Length 800mm Width 508mm Height Max 1067mm

Min 711mm

Specifications

ÿ Post laminated MDF top with so corners.

ŸHeight adjustable on Gas Strut.

Ÿ50mm double wheel swivel castor.

ŸMaterial Specification Mild steel, Powder coated.

ŸOptional Polymer top

Features

- Ÿ Easy operation.
- Ÿ Height adjustable for patient comfort.

CFMS

Classic Over Bed Trolley



Dimensions

Length 1105mm Width 457mm Height 1016mm

Specifications

- Ÿ Stainless Steel top.
- $\ddot{\gamma}$ Fixed height.

Ÿ75mm swivel castor diagonal locking 4nos

ŸMaterial Specification 304G Stainless Steel.

Features

- Ÿ Easy wipe Steel top.
- ÿ Strong robust build.
- ÿ Smooth maneuverability.

A endant Rest



ATMC

Premium Reclining Couch



Dimensions

Length 1854mm Width 772mm Height 540mm

Specifications

ŸManual li .

Ÿ Foldable Handles. ŸBuilt in Pillow

ÿÿ3 Sectioned cushioned top.

. Ÿ3U**Pallyubrethatoeaga** ress with

polyester backed non breakable rexine.

ŸLegs on PVC shoes with metal inserts.

ŸMaterial Specification Mild Steel, Powder Coated.

Features

- ÿ Enhanced A endant Comfort.
- ÿ Bed Position.
- v Chair Position.
- _ÿ Lounge Position.

Bed Positions









ATMB

Classic Spacious Bed



Dimensions

Length 2127mm Width 894mm Height 1114mm

Features

ÿ Wider Bed for be er comfort.

ŸCustomise Add on a Baby Cradle.

Specifications

Ÿ304G Stainless Steel legs. ŸLaminated head and foot panels.

Ÿ3" polyurethane ma ress with polyester backed non breakable rexine.

ŸLegs on PVC shoes with metal inserts.

ŸMaterial Specification Mild Steel, Powder Coated.

ATPB

Deluxe Couch



Dimensions

Length 1905mm Width 610mm Height 457mm

Back rest Length 457mm Width 610mm

Specifications

ÿ Fixed Cushioned Backrest and top.

Ÿ3" polyurethane ma ress with polyester backed non breakable revine

ŸLegs on PVC shoes with metal inserts.

ŸMaterial Specification Mild Steel, Powder Coated.

ATSR

Modern Couch



Dimensions

Length 1880mm Width 660mm Height 406mm

Specifications

- γ Three layered frame with so curves.
- Ÿ12mm waterproof Ply Top.
- ÿ 3" polyurethane ma ress with polyester backed non breakable rexine
- γ Legs on PVC shoes with metal inserts.

ŸMaterial Specification 304G Stainless Steel.

Features

ÿ So edges for aesthetics and convenience.

ATMUD Modern Couch



Dimensions

Length 1880mm Width 660mm Height 406mm

Specifications

ÿ Three layered frame with so curves.

660mm ÿl2mm waterproof Ply Top.

- ÿ Perforated underbed shelf.
- Ÿ3" Polyurethane ma ress with polyester backed non breakable rexine.
- ŸLegs on PVC shoes with metal inserts.
- ŸMaterial Specification Mild Steel, Powder Coated.

Features

- ÿ So edges for aesthetics and convenience.
- γ Large Underbed shelf for storage.

ATMUB Compact Couch



Dimensions

Length 1651mm Width 660mm Height 305mm

Specifications

- ÿ 12mm waterproof Ply Top.
- ÿ 3" polyurethane ma ress with polyester backed non breakable rexine.

Ÿ50mm plate type wheels with brakes.

ŸMaterial Specification Mild Steel, Powder Coated.

Features

γ̈ Space Optimising.

ŸMakes cleaning easier.

Suite Room/Home Care



B5RS Suite Electric Bed



Height

max 692mm min 457mm

- Ÿ Steel collapsible rails 2pcs.
- Ϋ IV Pole 2 hook 1no. I
- Ϋ IV Pole provision 4 sides.
- Ÿ Drainage hook 4nos.
- Ÿ Ma ress stopper 6nos.
- ÿ Backlit Wired Hand held control 1no.

ÿ Restrainer belt provision 4nos.

- Ÿ Electric CPR.
- ÿ 125mm Double Wheels with central Locking.
- Ÿ Material Specification Mild Steel, Powder coated.

the interiors.

Optional

- ÿ 125mm Double wheel with individual locking,
- ÿ Add Ma ress,
- Underbed light,
- ÿ Ba ery Back Up

















B3RS Suite Electric Bed



Dimensions

Length 2032mm

Width 991mm

Height

max 692mm min 457mm

Specifications

- ÿ Linear actuators 3nos.
- Ÿ Post Laminated head & foot and side panels.
- ÿ Steel collapsible rails 2pcs.
- Ÿ IV Pole 2 hook 1no.
- Ÿ IV Pole provision 4 sides.
- Ÿ Drainage hook 4nos.
- ÿ Ma ress stopper 6nos.
- Ÿ Restrainer belt provision 4nos.
- Ÿ Backlit Wired Hand held control Ino.
- Ÿ 125mm Double Wheels with central Locking.
- Ÿ Material Specification Mild Steel, Powder coated. Ÿ Optional 125mm Double wheel with individual locking, Add Ma ress, Ba ery Back Up

Features

- Ÿ Aesthetically designed.
- Ÿ Panels customisable to the interiors.

Optional

- ÿ 125mm Double wheel with individual locking,
- Add Ma ress,
- Ba ery Back Up











ATUH Suite A endant Couch



Dimensions

Length 1915mm

Width 650mm

Height 457mm

(including Ma ress 76.2mm Thick)

Specifications

ŸRatchet mechanism for head elevation.

Ÿ Cushioned top.

 $\ddot{\text{Y}}\text{Post Laminated}$ head & foot and side panels.

Ÿ3" Polyurethane ma ress with polyester backed non breakable rexine.

ŸMaterial Specification Mild Steel, Powder coated.

Features

- Ÿ Aesthetically designed.
- Ÿ Panels customisable to the interiors.



BCUL Bedside Cabinet



Dimensions

Length 508mm Width 432mm Height 851mm

Specifications

 $\ddot{\gamma}$ Drawers with post laminated front panels 2nos.

ŸSliding on 25kg telescopic drawer channels.

- Ϋ Open shelf 1No.
- ÿ 304G Stainless steel top with raised edges and rail.
- ÿ Stainless Steel handles.
- ÿ Book & bo le rack.
- Ϋ Hand towel hanger.
- Ÿ Anti collision bu ers at the rear 2nos.
- $\ddot{\gamma}$ 50mm double wheel swivel castors.
- $\ddot{\gamma}$ Material Specification Mild Steel, Powder Coated.

CFUT

Overbed Trolley

Dimensions

Length 800mm Width 508mm Height max 1067mm min 711mm

Specifications

- γ̈ Post laminated MDF top with so corners.
- $\ddot{\gamma}$ Height adjustable on Gas Strut.

Ÿ50mm double wheel swivel castor.

ŸMaterial Specification Mild steel Powder Coated.



Exam Room Essentials



EMPB

Electric Examination Couch



min 508mm

ŸHand held Remote.

- Ÿ3 Section Polyurethane ma ress with polyester backed non breakable Rexene.
- Ÿ100mm Double Wheels with diagonal locks.
- ŸMaterial Specification Mild steel, Powder coated.
- convenience.















EXSU Electric IUI Couch



elevation 35°

1905mm Length Width 864mm

Height max 813mm min 457mm Head elevation 65° Pelvic Ÿ Linear actuators 3nos.

ŸAdjustable Padded Lithotomy Rods 2nos.

ŸWired Hand held Remote.

Ÿ3 Section Polyurethane ma ress with polyester backed non breakable Rexene.

Ÿ125mm Double Wheels with diagonal locks.

ŸMaterial Specification Mild steel, Powder coated.

- Ÿ Low height for patient comfort.
- Ϋ Pelvic end tilt for easy exam and minor procedures.

Positions









EXCE

Electric Examination Scan Couch



Dimensions

Length 1829mm Width 610mm Height max 762mm min 457mm

Specifications

- Ÿ Linear actuators Ino.
 ŸWired Hand held
 Remote.
- ÿ 3" Polyurethane ma ress with polyester backed non breakable Rexene.

Ÿ125mm single wheels with diagonal locks.

ŸMaterial Specification Mild steel, Powder coated.

Features

 Back and Height Adjustable for patient comfort.

Positions







EXPC GS

Examination Couch



Positions



Dimensions

Length 1830mm Width 610mm Height 711mm

Specifications

- Ÿ Back up on Gas Strut.
- Ÿ Retractable writing pad.
- ÿ Drawer Ino.
- Ÿ Sliding on 25kg telescopic drawer channels.
- $\ddot{\gamma}$ BP apparatus tray.
- $\ddot{\gamma}$ Cabinets with shelves and locks 3nos.
- $\ddot{\gamma}$ Retractable footstep.
- 3" Polyurethane ma ress with polyester backed non breakable Rexene.
- $_{\ddot{v}}$ Legs on steel adjustable bullets.
- Material Specification Mild steel, Powder coated.

Features

\(\text{Y} \)
Back adjustable for patient comfort.
\(\text{comfort.} \)

EXPC

Examination Couch



Dimensions

Length 1880mm

Width 660mm

Height 762mm (including ma ress)

Features

ÿ Back Adjustable for patient comfort.

Specifications

ÿ Back Up on Ratchet. ÿRetractable writing pad. ÿDrawer Ino. Sliding on 25kg telescopic drawer channels. ₽P apparatus tray.

ŸCabinets with shelves and locks 3nos.

Ÿ Retractable footstep. Three layer so curve frame.

Ÿ3" Polyurethane ma ress with polyester backed non breakable Rexene.

ŸMaterial Specification Mild steel, Powder coated.

Positions



EXGE 2

Gyneac Examination couch



Positions



Dimensions

Length 1880mm

Width 660mm

Height 762mm (Including ma ress)

Specifications

- Ÿ Back Up on ratchet.
- Ÿ Retractable writing pad.
- Ÿ Drawer Ino. Sliding on 25kg telescopic drawer channels.
- ÿ BP apparatus tray.
- ÿ Cabinets with shelves and locks 3nos.
- $\ddot{\gamma}$ Retractable footstep.
- γ Three layer so curve frame.
- $\ddot{\gamma}$ Adjustable Padded Lithotomy Rods 2nos.
- ^ÿ 3" 'U' cut Polyurethane ma ress with polyester backed non breakable Rexene.
- . Stainless steel bowl.
- $_{\ddot{\gamma}}^{}$ Material Specification Mild steel, Powder coated.

Features

ÿ Comprehensive storage provisions. Easily retractable, built in foot step. So edges.

EXCC 1

Examination Couch



Dimensions

Length 1880mm Width 660mm Height 762mm (including ma ress)

Features

- Ÿ Comprehensive storage provisions.
- γ Easily retractable, built in foot step.
- ÿ Smart design

Specifications

ŸRetractable writing pad.

ŸDrawer Ino.

ŸSliding on 25kg telescopic drawer channels.

Ÿ BP apparatus tray.

ŸCabinets with shelves and locks 3nos.

Ÿ Retractable footstep.

Ÿ12mm water resistant ply top.

Ÿ2" Polyurethane ma ress with polyester backed non breakable Rexene.

ŸMaterial Specification Mild steel, Powder coated.

EXCC 2

Examination couch



Dimensions

Length 1880mm

Width 660mm

Height 762mm (including

ma ress)
Specifications

ŸDrawer 4no.

ŸSliding on 25kg telescopic drawer

channels.

ŸLockable Cabinets with shelves and sliding closure system.

- $\ddot{\gamma}$ 12mm water resistant ply top.
- ÿ 2" Polyurethane ma ress with polyester backed non breakable Rexene.
- $_{\ddot{\gamma}}\;$ Legs on steel adjustable bullets.
- y Material Specification Mild steel, Powder coated.

Features

Ÿ Comprehensive storage space.

EXCC 3

Examination Couch



Dimensions

Length 1880mm

Width 660mm

Height 762mm

Features

ÿ Ample storage space. Smart Design.

Specifications

- ÿ Back Up up on Ratchet.
- Ÿ Drawers 3nos.
- Ÿ Sliding on 25kg telescopic drawer channels.
- ÿ Three layer so curve frame.
- $_{\begin{subarray}{l} \begin{subarray}{l} \b$
- ÿ 12mm water resistant ply top.
- v Provision to hold disposable sheet Ino.
- Legs on adjustable steel bullets.
- $_{\ddot{\gamma}}$ Material Specification Mild steel, Powder coated

Positions



EXRS 2C Examination Stool



Dimensions

Diameter 365mm

Height Max 800m Min 570mm

Specifications

- ÿ Height adjustable on screw mechanism.
- ŸPolyurethane cushion with polyester backed non breakable Rexene.
- ŸMaterial Specifications 304G Stainless Steel.

EXRS 3C Examination Stool



Dimensions

Diameter 365mm

Height Max 800m Min 570mm

Specifications

- ÿ Height adjustable on screw mechanism.
- ÿ Polyurethane cushion with polyester backed non breakable Rexene.
- ŸMaterial Specifications Mild Steel, Powder coated.

EXNS Nurse Stool



Dimensions

Diameter 420mm Height 520mm

Specifications

- ÿ Polyurethane cushion with polyester backed non breakable Rexene.
- ŸMaterial Specification Mild Steel, Powder coated.

EX2FR Stepper



Dimensions

Length 457mm Width 406mm

Height 356mm

Specifications

- Ÿ Stainless steel steps with anti skid strips 8nos.
- ŸMaterial Specification 304G Stainless Steel.
- ŸOptional Handle Bar.

Transfer Solutions



TTER

ER Stretcher



Dimensions

Length 1829mm

Width 686mm

Height

Max 838mm

Min 610mm

Specifications

ŸFlat perforated, removable top.

ŸStretcher top legs on PVC shoes with

metal inserts.

ÿ Ratchet for head up 1no.

ŸHydraulic Pump on foot pedal for height adjustment Ino.

ŸGas Strut for trendlenburg and reverse trendlenburg positions 2no.

ŸOxygen cage Ino. Utility Tray Ino.

Ÿ125mm Double wheels with individual locks 4nos.

Ÿ Collapsible Rails 1 pair.

ŸMa ress restrainer belts 2nos.

ŸCollision proof bu ers 4nos.

Ÿ IV Pole 2 hook 1no.

ÿ IV Pole provision 4 sides.

ŸMaterial Specification Mild Steel, Powder Coated.

Features

- ÿ Multiple functions for be er Emergency management.
- $\ddot{\gamma}$ Storage shelf for enhanced convenience.
- ÿ Easily adjustable stretcher height.

TTSF

Compact Stretcher



Dimensions

Length Open 1829mm Folded 1067mm

Width 610mm

Height 762mm

Features

\(\tilde{Y} \)
Compact design for easy movement in li s.
\(\tilde{Y} \)

Specifications

- Ÿ Perforated top.
- ÿ Manual ratchet for lowering head and foot end 2 nos.
- ÿ Falling type rails 1 pair.
- $\ddot{\gamma}$ IV Pole 2 hook 1no.
- ÿ IV Pole provision 2 sides (diagonal).
- $\ddot{\gamma}$ 125mm Single wheels diagonal locking.
- ÿ Material Specification 304G Stainless steel

TTHU HF

Transfer Stretcher



Dimensions

Length 1829mm

Width 559mm

Height

Max 762mm Min 559mm

Specifications

- ÿ Flat perforated, removable top.
- Ÿ Stretcher Top legs on PVC shoes with metal inserts.
- ÿ Ratchet for head up 1no.
- ÿ Hydraulic Pump on foot pedal for height adjustment 1no.
- γ Oxygen cage Ino.
- ÿ Polymer Side Rails 1 pair.
- $\ddot{\gamma}$ Ma ress restrainer 2nos.

- Ÿ Patient restrainer belt 2 nos.
- Provision for patient restrainer belt 4nos.

ŸCollision proof bu ers 4nos.

- ÿ IV Pole 2 hook 1no.
- $^{\ddot{\gamma}}$ IV Pole provision 4 sides.

Ÿ125mm Double wheels with central locking.

ŸMaterial Specification Mild Steel, Powder Coated.

Features

- γ̈ Central locking for easy mobility.
- γ No sharp edges for increased safety.







TTSW C

Wheel Chair



Dimensions

Length 678mm Width 914mm Height 1003mm

Features

- ÿ Storage for patient reports and case sheets. Smooth Manoueverabilty.
- ÿ Strong robust frame.
- γ Flip type leg rest for easy accessibily.

Specifications

- Ÿ 2" Cushioned seat and back.
- Ÿ Swing in and out leg rest lpair.
- ÿ PU handles. Metal spoke wheel, PU rubber tyres.
- ÿ 125mm Double wheels 2nos.
- Ÿ Hand brakes for rear wheels
- Ÿ Patient support belt.
- ÿ Flap type storage bag.
- ÿ Material Specification 304G Stainless Steel.

TTFW C Wheel Chair Foldable



Dimensions

Length 678mm Width 914mm Height 1003mm

Specifications

- Ÿ Foldable seat and back.
- Ÿ Flip up/Detachable Armrest.
- ÿ Metal spoke wheel, PU rubber tyres.
- Ÿ Anti tippers 2nos.
- ÿ Detachable Swing in & out Legrest.
- ÿ Brakes 2nos.

Features

- $\ddot{\gamma}~$ Anti tippers for extra safety on slopes and uneven ground.
- $\ddot{\gamma}~$ E ortless and convenient folding.
- $\ddot{\gamma}$ Detachable swing in & out legrest.
- ÿ Quick removal of rear wheels.

Crash Carts & Medicine Trolleys



CCSC CPR Crash Cart Adult



Dimensions

Length 1080mm

Width 597mm

Height 1524mm

Specifications

- ÿ 75mm Drawers 3nos.
- ÿ 150mm Drawers 2nos.
- ÿ 200mm Drawer 1no.
- \overline{Y} Sliding on 25Kg telescopic drawer channels with a single strip to lock all the drawers.
- ÿ Open Top with Rails.
- ÿ Pull Out writing board.
- ÿ Two hook telescopic IV pole.
- ÿ Defibrillator stand 1 no.
- ÿ Removable sharps container holder 1 nos.
- ÿ Bin holder with bin 1no.
- ÿ Electrical Socket panel Ino.
- ÿ 6A switch and sockets 5nos.
- v CPR board.
- ÿ 125mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.

CCMC CPR Crash Cart Adult



Features

- ÿ Ideal to support two crashes.
- Colour coded based on Broselow tape. Comprehensive crash cart.

Dimensions

Length 1080mm

Width 597mm

Height 1524mm

Specifications

- ÿ 75mm Drawers 3nos. 150mm Drawers 2nos. 200mm
- ÿ Drawer Ino. Small containers 30 nos. Medium containers
- $\ddot{\text{Y}}$ 15nos. Large containers 10nos. Sliding on 25Kg telescopic
- ÿ drawer channels with single strip
- to lock all the drawers.
- γ Pull Out writing board.
- Two hook telescopic IV pole.
 Defibrillator stand extendable 1 no.
- $_{\ddot{\gamma}}$ Removable sharps container holder 1 nos.
- Bin holder with bin 1no.
- . Electrical Socket panel Ino.
- $_{\ddot{\nu}}$ 6A switch and sockets 5nos.
- 'D' type cylinder holder.
- " CPR board.
- ^v 125mm double wheels with individual locking.
- Material Specification Mild Steel, Powder Coated.

Ÿ

CCPD

CPR Crash Cart Pediatric



Features

- ÿ Colour coded based on Broselow tape.
- Ϋ́ Comprehensive crash cart.

Dimensions

Length 1080mm

Width 597mm

Height 1524mm

Specifications

- ÿ 75mm Drawers 8nos.
- ÿ 150mm drawer 1no.
- ÿ Small containers 96nos.
- ÿ Medium containers 48nos.
- Ÿ Large containers 16nos.
- $\ddot{\text{Y}}$ Sliding on 25Kg telescopic drawer channels with single strip locking mechanism.
- Pull Out writing board.
- Two hook telescopic IV pole.
- Defibrillator stand 1 no.
- Removable sharps container holder 1 nos.
- Bin holder with bin 1no.
- ÿ Electrical Socket panel 1no.
- $_{\ddot{\nu}}$ 6A switches and sockets 5nos.
- CPR board. 'D' type cylinder holder.
- 125mm double wheels with diagonal locking. Material Specification Mild Steel, Powder Coated.

MDICSS

ICU Medicine Trolley

Dimensions

Length 889mm

Width 686mm

Height 1270mm

Specifications

- Ÿ Inclined table top.
- $\ddot{\text{Y}}$ Wired shelves with plastic containers 4nos.
- Ÿ Hand scrub bo le holder Ino.
- Ÿ Suction Catheter holder.
- Ÿ Bo om shelf with rail.
- ÿ Removable case sheet holder.
- $\ddot{\text{I}}$ 125mm single wheels with diagonal locking.
- Ϋ Material Specification 304G Stainless Steel



CCSA2

Medicine Trolley



Dimensions

Length 1020mm

Width 710mm

Height 1520mm

Specifications

- $\ddot{\gamma}$ Polystyrene centrally lockable cabinets with separator boxes 2nos.
- γ Dressing Tray Ino.
- γ Handout bins 12nos.
- ÿ IV Pole 1no.
- γ Pull out writing board.
- ÿ Suction catheter holders 2nos.
- ÿ Waste bin holder with bin 1no.
- ÿ Provision for file holder to break ampules.
- $\ddot{\gamma}$ 125mm single wheels with diagonal locking.
- γ Material Specification 304G stainless Steel.

MDPC

Medication Cart

Dimensions

Length 686mm Width 597mm

Height 1270mm Specifications

- ÿ 75mm Drawers 8nos.
- ÿ 200mm Drawer Ino.
- ÿ Small separators for top 3 drawers.
- ÿ Sliding on 25Kg telescopic drawer channels with single strip locking mechanism.
- $\ddot{\gamma}$ Pull Out writing board.
- $_{\ddot{\gamma}}\,$ Waste bin holders with bins 2nos.
- $_{\ddot{\gamma}}$ 125mm single wheels with diagonal locking.
- $\ddot{\gamma}$ Material Specification Mild Steel, Powder



MD16

Medication Cart



Dimensions

Length 724mm

Width 394mm

Height 1295mm

Specifications

- $\ddot{\text{y}}$ Polystyrene, centrally lockable, modular cabinets with three drawers 4nos.
- γ Pull out writing board.
- ÿ Drawers 2nos.
- ÿ Sliding on 25Kg telescopic drawer channels.
- ÿ Open Top.
- ÿ Handout bins 6nos.
- ÿ IV Pole.
- ÿ 125mm single wheels with diagonal locking 4nos.
- ÿ Material Specification 304G Stainless Steel.

MDIC PC ICU Medicine Trolley

Dimensions

Length 800mm

Width 490mm

Height 1015mm

Specifications

Ÿ90mm Drawer 1nos.

Ÿ180mm Drawer 2nos.

ŸSliding on 25Kg telescopic drawer channels.

ŸSmall containers 24nos.

Ÿ310mm cabinet with doors.

ŸOpen Top with SS rails.

ŸPull Out writing board.

- Ÿ Reports holder.
- ÿ Sanitiser holder.
- ^γ Pull/push handle.

Ÿ125mm double swivel wheels with diagonal locking.

ŸMaterial Specification Mild Steel, Powder Coated.



Features

Comprehensive trolley for critical care beds. Can hold all emergency drugs, infusion bo les, dressing kits etc. Pull out board for medicine preparation. provision for carrying CT MRI scans X rays reports etc.



ODBS POP Trolley



Dimensions

Length 810mm Width 390 mm Height 960mm Specifications

- ÿ 100mm Drawers 2nos.
- ÿ 150mmDrawers 2nos.
- Ÿ Stainless Steel/Plastic bowls 2nos.
- ÿ 75mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.

Features

- $\ddot{\text{Y}}$ Ideal for Orthopedic bandaging.
- ÿ Holds 150mm & 100mm plaster, co on rolls, Bandage and plaster cu er.

WTSD 5

Dressing trolley Advanced

Dimensions

Size 737mm

Width 533mm

Height 914mm

Specifications

- ÿ Provision to secure dressing essentials.
- $\ddot{\gamma}$ Shelf with raised edges 1no.
- ÿ Drawer 1no.
- $\ddot{\gamma}$ Sliding on 25kg telescopic drawer channels.

ŸOpen top with rails.

ŸWaste bin holders with bins 2nos.

- Ÿ Rotatable Cidex tray Ino.
- Ÿ100mm single wheels with diagonal locking.
- ŸMaterial Specification 304G Stainless Steel.



WTSD 4

Procedure Trolley



Dimensions

Size 737mm

Width 533mm

Height 1016mm

Specifications

Ÿ Provision to secure dressing essentials.

ŸOpen Shelves with rails 2nos.

ŸDrawer 1 no.

ŸSliding on 25kg telescopic drawer channels.

ŸRotatable stainless steel bowl provision with bowl Ino.

ŸRotatable disposal bin provision with bin

ŸTwo hook IV Pole 1no.

Ÿ100mm single wheels with diagonal locking.

ŸMaterial Specification 304G Stainless Steel.

WTSD 3

Dressing Trolley Modified Dimensions

Size 737mm

Width 533.4mm Height 1016mm

- Ÿ Open Shelves 2nos.
- ÿ Drawerlno.
- $\ddot{\text{Y}}$ Sliding on 25kg telescopic drawer channels.
- Ϋ Rotatable stainless steel bowl provision with bowl 1no.
- $\ddot{\text{Y}}$ Rotatable disposal bin provision with bin 1no.
- Ÿ Rotatable Cidex tray Ino.
- $\ddot{\text{Y}}$ 100mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.



WTMC

Medicine/Consumable Trolley



Dimensions

Size Length 915mm Width 460mm Height 945mm Specifications

ŸOpen Shelves with rails 2nos. Ÿ125mm Drawers 4 no. ŸSliding on 25kg telescopic drawer

channels.

Ÿ100mm single wheels with diagonal locking.

ŸMaterial Specification 304G Stainless Steel.

WTEC 1 ECG Trolley

Dimensions

Length 500mm

Width 440mm

Height 1340mm

Specifications

 ${r}$ Shelves with rails 3nos. Drawer. Sliding on ${r}$ 25kg telescopic drawer channels. Sanitiser ${r}$ and gel holder. Hooks for ECG leads. ${r}$ Provision to wind power cables. 100mm ${r}$ single wheels with diagonal locking. ${r}$ Material Specification 304G Stainless Steel.



Ÿ

WTMM 2

Monitor Trolley





Dimensions

Length 826mm

Width 508mm

Height 1092mm

Specifications

Shelves 4nos.

Эпстусэ -1103. Ÿ

Ÿ6A switches & Sockets 4 nos.

Ÿ100mm double wheels with diagonal locking.

ŸMaterial Specification Mild Steel, Powder Coated.

WTMM 1 Monitor Trolley

Dimensions

Diameter 558mm

Height 914mm

- Ÿ Tray with raised edges to hold monitor.
- Ÿ Cable Basket.
- Ÿ Sanitiser holders 2nos.
- Ÿ Five pronged base.
- ÿ 75mm Double wheel swivel castors(two with brake).
- ÿ Material Specification Mild Steel, Powder Coated.





WTLT

Laptop Trolley

Dimensions

Length 530

Width 460mm

Height

Max 980mm Min 710mm

Specifications

- $\ddot{\text{Y}}$ Tray with raised edges to hold laptop.
- ÿ Report/Cable Basket Sanitiser holder.
- Ÿ Gas Strut height adjustable.
- Ϋ Five pronged base.
- ÿ 75mm Double wheel swivel castors(two with brake).
- ÿ Material Specification Mild Steel, Powder coated.

IVWS 6 & IVWS 4

Infusion Stands

Dimensions

Diameter 610mm Height 1651mm + Adjustable.

Specifications

- ÿ 25mm round 16g Pole. Two/Four hook IV rod, adjustable on polymer plastic collet mechanism.
- Four /Six pronged SS base. 50mm double wheels with diagonal brakes.

ŸMaterial specification 304G stainless Steel



HKLT Housekeeping Trolley



Dimensions

Length 1400mm Width

610mm Height 1220mm

Specifications

ŸDrawers 2nos. ŸSliding on 25kg telescopic drawer

channels.

- ŸCabinet for fresh linen with 2 shelves and lockable doors.
- ÿ Provision for carrying soiled linen bags on either side.
- ŸSoiled Linen bags 2nos. Top with
- Ÿ125mm single wheels with diagonal locking.
- ŸMaterial Specification 304G Stainless Steel.

HKSF Linen Trolley



Dimensions

Length 1400mm

Width 457mm

Height 1042mm

- $\ddot{\text{Y}}$ Perforated Sheet basket for soiled linen.
- Ϋ́ Open cabinet with shelves for clean linen.
- Ϋ́ Top utility shelf with rails.
- Ÿ Handles 2nos.
- ÿ 125mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.

HKDS Soiled Linen Trolley

Dimensions

Length 839mm Width 661mm Height 915mm

Specifications

- ÿ Perforated sheet basket. 125mm single
- ÿ wheels with diagonal locking. Material
- ÿ Specification 304G Stainless Steel.



HKSTH Hamper Trolley Twin



Dimensions

Length 1270mm

Width 508mm

Height 1067mm

Specifications

- $\overline{\textbf{y}}$ Round tube frame with horizontal and vertical supports.
- ÿ Handle on either sides.
- $\bar{\gamma}$ Synthetic Canvas bags with cover for wet and dry soiled linen 2nos.
- $_{\ddot{\gamma}}$ 100mm single wheels with diagonal locking.
- γ Material Specification 304G Stainless Steel.



HKSH Hamper Trolley Single

Dimensions

Length 432mm

Width 432mm

Height 762mm

- Ÿ Round tube frame with horizontal and vertical supports.
- ÿ Handle Ino
- Ÿ Synthetic Canvas bag with cover for soiled linen.
- ÿ 100mm single wheels with diagonal locking.
- Ÿ Material Specification 304G Stainless Steel.

CSSD Solutions



CDPT

Work Station



Dimensions

Length 1524mm

Width 762mm

Height 1524mm

Specifications

- ÿ Material Specification 304G stainless Steel.
- Ϋ́ Two shelf cabinet with sliding shu ers.
- Ÿ Tray type shelf on top.
- ÿ Legs on adjustable nylon bullets.

Features

 $\tilde{\text{Y}}$ Two sliding doors, extended tray type shelf , mounted on heavy duty adjustable nylon bullets

CDCP

Work Station

Dimensions

Length 1524mm Width 914mm Height 762mm Specifications

- ÿ Material Specification 304G stainless Steel.
- ÿ Drawers with handles 4nos.
- $\ddot{\text{Y}}$ Sliding on 25Kg telescopic drawer channels.
- ÿ Lockable cabinets 2nos.
- Ÿ Open table top.
- Ÿ Legs on adjustable nylon bullets.

Features

 $\ddot{\text{\scriptsize V}}$ $\,$ Ideal for packing dressing & OT kits and instruments.



CDOH

Overhead Storage

Dimensions

Length 1981mm/Width 406mm/Height 864mm.

Specifications

- ÿ Material Specification 304G Stainless Steel.
- ÿ Shelves 3nos.
- Ÿ Open top.
- Ÿ Three sides covered.

Features

Ÿldeal for decontamination and packing areas.

ŸDecontamination Area Enzymatic, cleaning reagent cans, PPE kits, gloves, Shoe covers, first aid box etc.

ŸPacking area Gauze packets, co on rolls, sterlisation monitoring items.

CDBR

Basket Rack

Dimensions

Length 1855mm

Width 432mm

Height 2083mm

Specifications

ÿ Material Specification 304G Stainless

Ÿ8 Rows x 3 Columns wired baskets 24 nos.

Features

 il Ideal for packing and sealing of individual surgical instruments like artery forceps, micro instruments, ambu bags, cathlab/gastro catheters, anaesthesia tubing, LMA tubes etc.



CDSR

Sterile Rack

Dimensions

Length 1524mm

Width 483mm

Height 1880mm

Specifications

- ÿ Material Specification 304G Stainless Steel.
- ÿ 5 Shelves done in square and round tubes, mounted on nylon bullets.

Features

 $\ddot{\gamma}~$ Ideal for CSSD & OT sterile stores for holding heavy and long instruments sets and packs.



CDST

Roll Sealing Table



Dimensions

Length 1400mm

Width 510mm

Height 1790mm

Specifications

- ÿ Material Specification 304G Stainless Steel.
- ÿ 3 Rows removable rods for sterimed reels.
- ÿ Open table top for Heat sealing machine.
- Y Legs on PVC shoes with metal inserts.

Features

Y Ideal for packing and sealing of individual surgical instruments like artery forceps, micro instruments, ambu bags, cathlab/gastro catheters, anaesthesia tubing, LMA tubes etc.



CDCS

Closed Instrument Trolley

Dimensions

Length 940mm

Width 533mm

Height 1143mm

Specifications

- ÿ Material Specification 304G stainless Steel.
- Ϋ Two shelf cabinet with lockable shu ers.
- Ÿ Top with rails. Handles 2 nos.
- $\ddot{\text{Y}}$ Legs on 125mm single wheels with diagonal locking.

Features

 $\ddot{\gamma}$ Ideal for carrying sterile dressing kits and packs from CSSD to OT & Wards.

OT Trolleys



WTBS

Bio Medical Waste Cabinet



Dimensions

Length 1524mm
Width 457mm
Height 991mm
Basket Size
Length 407mm
Width 407mm
Height 762mm
Specifications

- Ÿ Table top cabinet.
- Ÿ Cabinet mounted on heavy duty nylon bullets.
- ÿ Pull out trolley type baskets 4nos.
- ÿ Baskets on 75mm double wheels.
- Ÿ Plush fronts with handles 4nos.
- ÿ Material Specifications 304G Stainless Steel.

Features

ÿ Ideal for bio waste segregation.

OTED 1

Drug Cart

Dimensions

Length 686mm/Width 2597mm/Height 1270mm.

Specifications

- $\ddot{\text{Y}}$ 75mm Drawers 8nos. 200mm Drawer 1no. Small separators
- $\ddot{\text{Y}}$ for top 3 drawers. Sliding on 25Kg telescopic drawer
- Ÿ channels with single strip
- γ locking mechanism. Open Top with rails.
 - Open rop with rails.
- γ Pull Out writing board.
- $\ddot{\gamma}\,\,$ Waste bin holders with bins 2nos.
- $\ddot{\gamma}$ 125mm single wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.







OTED 2 Drug Cart

Dimensions

Length 686mm/Width 419mm/Height 889mm.

- ÿ 100mm Drawers 3nos.
- ÿ 200mm Drawer 1no.
- ÿ Sliding on 25Kg telescopic drawer channels.
- Ÿ Open Top with steel handles.
- ÿ 100mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.

OTST Suture Trolley



Dimensions

Length 991mm Width 610mm Height 1524mm

Specifications

- ÿ Upper compartments 20nos.
- Ÿ Ampule breaker.
- Ϋ Lower Compartments 6 nos.
- ÿ Lower right shelves 6nos.
- Ϋ Handle bar 1no.
- ÿ 125mm single wheels with diagonal locking.
- $\ddot{\text{Y}}$ Material Specification 304G Stainless Steel.

OTAT

Anesthesia Trolley

Dimensions

Length 991mm Width 610mm Height 1524mm Specifications

- ÿ Upper Shelves 5nos.
- ÿ Lower Compartments 6 nos.
- Ÿ Lower right shelves 6nos.
- Ÿ Handle bar 1no.
- $\ddot{\text{I}}$ 125mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.



OTBR

Baby Resuscitation Trolley



Dimensions

Length 813mm

Width 406mm

Height 1092mm Specifications

- Ÿ Tiltable top tray Ino.
- Ÿ Polystyrene modular cabinet 1no.
- Ϋ Oxygen cylinder holder 1no.
- Ϋ Adjustable two hook IV pole 1no.
- Ÿ Provision to mount Warmer lamp Ino.
- $\ddot{\text{y}}$ Bo om tray type shelf.
- ÿ 100mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.

OTRD 2

Equipment, Trolley

Dimensions

Length 876mm

Width 622mm

Height 1562mm

- Ϋ́ Shelves with rails 6nos.
- Ÿ Drawer Ino
- ÿ Sliding on 25Kg telescopic drawer channels.
- $\ddot{\text{Y}}$ 6A electrical switch & sockets 5nos.
- Ÿ Cylinder stand Ino.
- ÿ 125mm double wheels with diagonal locking.
- Ϋ Material Specification 304G Stainless Steel.



OTDT 2

Drugs Cart





Dimensions

Length 1575mm

Width 381mm

Height 1524mm

Specifications

- $\ddot{\text{y}}$ Top shelf 1no. Lower shelves 3nos. Two rows of
- $\ddot{\text{Y}}$ small handout steel glasses 24 nos. 125mm single
- $\ddot{\text{y}}$ wheels with diagonal locking. Material
- ÿ Specification 304G Stainless Steel.

Ÿ

OTAW

Intubation trolley

Dimensions

Length 1016mm Width 381mm

Height 1092mm Specifications

ÿ Tray type shelf with removable

partitions 2nos. ŸBo om tray 1no.

ŸTwo hook adjustable IV Pole Ino.

Ÿ6A electrical switch & sockets 2nos.

 ${\rm \not Rotatable\ tray\ for\ light\ source\ \ lno.}$

Buction catheter holder Ino.

Ÿ100mm single wheels with diagonal locking.

ŸMaterial Specification 304G Stainless Steel.



OTCT 2 Cautery Trolley



Dimensions

Length 546mm Width 483mm Height 1016mm Specifications

- Ÿ Drawers with handles 2nos.
- Ϋ Bo om shelf with rails 1no.
- ÿ Sliding on 25Kg telescopic drawer channels.
- Ÿ Open Top with handles.
- ÿ 100mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.

OTIT 6 Instrument Wash Trolley

Dimensions

Length 795mm Width 660mm Height 995mm Specifications

- Ÿ Removable Cidex Tays with lids 2nos.
- ÿ Shelves 2nos.
- ÿ 100mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.



OTMH

Mayo's Trolley



Dimensions

Length 1180mm

Width 625mm

Height

Max 1425mm Min 1150mm

Specifications

- Ÿ Removable tray 1no.
- Ϋ́ Knob for height adjustment Ino.
- ÿ 50mm double wheels with locks.
- ÿ Material Specification 304G Stainless Steel.

OTMD

Mayo's Trolley

Dimensions

Length 914mm

Width 406mm

Height

Max 1372mm

Min 1067mm

- Ÿ Removable tray Ino.
- Ÿ Knob for height adjustment Ino.
- ÿ 50mm double wheels.
- ÿ Material Specification 304G Stainless Steel.





OTDT 1 Drug Trolley

Dimensions

Length 660mm
Width 533mm
Height 1372mm
Specifications

- Ÿ Three rows of small hand out bins 18nos.
- ÿ Four rows of medium hand out bins 16nos.
- Ÿ Two rows of large handout bins 6nos.
- Ÿ Shelves with rails 4nos.
- ÿ 75mm double wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.

OTCIT
Cath Instrument Table



OTBK 2 Bin/Sterile Kit Trolley



Dimensions

Length 1219mm Width 483mm Height 1930mm Specifications

- $\ddot{\text{Y}}$ Shelves with rails 4nos. Cabinets with handles
- $\ddot{\text{Y}}$ and lockable doors 1no. 125mm single wheels
- Ÿ with diagonal locking. Material Specification
- ÿ 304G Stainless Steel.

OTIS

Instrument Trolley

Dimensions

Length 1175mm Width 1175mm

Height 1134mm

Specifications

- Ÿ Right angled shelves with rails 3nos. 125mm
- ÿ single wheels with diagonal locking.
- ÿ Material Specification 304G Stainless Steel.



OTSS40

Swab Count Count Stand.



Dimensions

Length 915mm

Width 610mm

Height 1525mm

Specifications

- Ÿ Swab hooks 40nos.
- ÿ Removable drip tray 1no.
- $\ddot{\text{Y}}$ 125mm double wheels with diagonal locking.
- Ÿ Material Specification 304G Stainless Steel.
- Ÿ Available in 24hooks, 50hooks and 60 hooks.

OTNC

Narcotics Cabinet

Dimensions

Length 457mm Width 406mm Height 457mm

- ÿ Cabinet with two doors and separate locks.
- ÿ Material Specification 304G Stainless Steel.



OTSS 1

Surgeon Chair



Dimensions

Diameter

Bo om 280mm

Top 310mm

Height

Max 770mm Min 620mm

Specifications

- Ÿ Cushioned seat and back.
- $\ensuremath{\tilde{\text{Y}}}$ Polyurethane cushion with polyester backed non breakable Rexene.
- ү Height adjustable on screw mechanism.
- γ Ringed footrest.
- ÿ 50mm double wheels.
- ÿ Material Specification 304G Stainless Steel.

OTSS 3 Surgeon Chair

Dimensions

Diameter

Boom 280mm

Top 310mm

Height

Max 770mm Min 620mm

Specifications

Ÿ Stainless steel seat and back.

ŸHeight adjustable on screw mechanism.

ŸRinged footrest. 50mm double wheels with diagonal locking.

ŸMaterial Specification 304G Stainless Steel.



Scrub Sinks



SSCW 1

Catheter Wash



Dimensions

Length 2438mm

Width 559mm

Depth 1778mm

Specifications

- ÿ Material Specification 304G Stainless Steel.
- ÿ Mounting Floor mounted. Finish Bu ed Satin
- $\ddot{\text{Y}}$ airline. Provision to wash catheters vertically.
- Ϋ Individual sinks and taps for Catheter wash,
- γ Hydrogen Peroxide and handwash.

Features

ÿ Provision to wash the catheters vertically with hydrogen peroxide and water wash followed by flushing air.

SSDL 1W Dialyzer Tubing wash

Dimensions

Length 1600mm/Width Top 559mm/ Bo om 330mm/Depth 749mm.

Specifications

- ÿ Material Specification 316G Stainless Steel.
- ÿ Mounting Wall mounted.
- Ÿ Finish Bu ed Satin airline.
- Ÿ Shelf to place tubing.
- ÿ Removable perforated tray at 6" from the bo om 1no.
- Ÿ Outlets 3nos. Central drain point.



Features

Ÿ Controlled water pressure through ball valve.

SSDL 2

Dialyzer Tubing Wash

Dimensions

Length 2845mm/ Width 559mm/ Depth 1778mm.

Specifications

- ÿ Material Specification 316G Stainless Steel.
- ÿ Mounting Floor mounted.
- Ÿ Finish Bu ed Satin airline.
- Ÿ Sinks 2nos.
- Ÿ Small work bench.
- Ÿ Shelf for 20Lt cans.
- Ÿ Shelf to place tubing.
- \(\bar{Y} \)
 Removable perforated tray at 8" from the bo om 2nos.
 \(\)
- γ Tap connections 2nos.
- Outlets 4nos(2 in each sink).
- . Central drain point for each sink.



SS2IF

Instrument Wash

Dimensions

Length 1676mm/Width 559mm/Depth 305mm.

Specifications

- ÿ Material Specification 304G Stainless Steel.
- γ Mounting Wall mounted.
- γ Finish Bu ed Satin airline.
- γ Sinks 2nos. 559 mm work paltform.
- γ Swivel Taps 2nos.
- $\ddot{\gamma}$ 152mm splashback.
- γ Central drain point for each sink.



SSIPW

Scopes Wash

Dimensions

Length 1829mm/Width Top 559mm/Boom 330mm/Depth 749mm.

- ÿ Material Specification 304G Stainless Steel.
- ÿ Mounting Wall mounted.
- Ÿ Finish Bu ed Satin airline.
- ÿ Sink Ino. 762 mm work paltform.
- ÿ Swivel Taps 2nos.
- Ÿ Central drain point.



SSEW

Endoscope Wash

Dimensions

Length 1830mm / Width 610mm / Height 1425mm Specifications

- ÿ Material Specification 304G Stainless Steel.
- Ϋ Mounting Wall mounted.
- Ÿ Finish Bu ed Satin airline.



SS2IW

Instrument Wash



Dimensions

Length 1676mm/Width 559mm/Depth 305mm.

- ÿ Material Specification 304G Stainless Steel.
- Ÿ Mounting Wall mounted.
- Ÿ Finish Bu ed Satin airline.
- ÿ Sinks 2nos. 559 mm work paltform.
- Ϋ Swivel Taps 2nos.
- ÿ 152mm splashback.
- Ÿ Central drain point for each sink.

SS2BH AW

Hand Scrub



Dimensions

Length 1524mm/Width Top 559mm Bo om 330mm/Depth 749mm

Specifications

ÿ Material Specification 304G Stainless Steel.

ŸMounting Wall mounted.

- Ÿ Finish Bu ed Satin airline.
- ÿ Sensor taps 2nos. Central
- Ÿ drain point.



SSHF Hand Scrub

Dimensions

Length 914mm/Width Top 533mm/Bo om 330mm/Height 737mm.

- ÿ Material Specification 304GStainless Steel.
- Ÿ Mounting Floor mounted.
- Ÿ Finish Bu ed Satin airline.
- $\ddot{\text{Y}}$ Elbow operated /Mechanical foot operated tap lno.
- Ÿ Central drain point.
- $\ddot{\text{\scriptsize Y}}$ Available in 3 Station, 2 station and single station.